


# LED Work Lights



*Be Visible. Stay Safe.®*



*HeavyDutyLighting.com*  
*info@heavydutylighting.com*

**HD46206-3**

**6 LED**

**LED:** 3W High Output  
**COLOR:** White  
**DIMENSIONS:** 5.91" x 3.94" x 2.32"  
**VOLT RANGE:** 10-30 VDC  
**AMP DRAW:** 12V-1.24A, 24V-0.50A  
**LUMEN:** 1350  
**IP RATING:** 67  
**SHOCK:** 20G

- Super Bright High Power LEDs
- Stainless Steel Mounting Bracket
- Powder Coated Pinned Cables
- Sealed Coated Electronics
- Impact Resistant Polycarbonate Lens
- 12" Shielded Lead
- Working Temp: -40° to +50°C
- Color Temp: 58800-6000KG
- Moisture & Corrosion Resistant

**HIGH OUTPUT RECTANGULAR WORK LIGHT**



HD46206-3WFL



HD46206-3SP

**HD46208-3**

**8 LED**

**LED:** 3W High Output  
**COLOR:** White  
**DIMENSIONS:** 6.14" x 3.66" x 3.35"  
**VOLT RANGE:** 10-30 VDC  
**AMP DRAW:** 12V-1.77A, 28V-0.74A  
**LUMEN:** 1800  
**IP RATING:** 67  
**SHOCK:** 20G

- Super Bright High Power LED's
- 18" Wire Lead from Lamp with Pinned Ends
- Powder Coated Cast Aluminum Body
- Sealed Coated Electronics
- Impact Resistant Polycarbonate Lens

**HIGH OUTPUT RECTANGULAR WORK LIGHT**



HD46208-3WFL



HD46208-3SP

**HD46308-3**

**8 LED**

**LED:** 3W High Output  
**COLOR:** White  
**DIMENSIONS:** 6.14" x 3.66" x 3.35"  
**VOLT RANGE:** 10-30 VDC  
**AMP DRAW:** 12V-1.77A, 28V-0.74A  
**LUMEN:** 1800  
**IP RATING:** 67  
**SHOCK:** 20G

- Super Bright High Power LED's
- 18" Wire Lead from Lamp with Pinned Ends
- Powder Coated Cast Aluminum Body
- Sealed Coated Electronics
- Impact Resistant Polycarbonate Lens
- Unique Swivel Base

**HIGH OUTPUT RECTANGULAR WORK LIGHT**



HD46308-3WFL



HD46308-3SP

**HD46209-3**

**9 LED**

**LED:** 3W High Output  
**COLOR:** White  
**DIMENSIONS:** 5.91" x 3.94" x 2.33"  
**VOLT RANGE:** 10-30 VDC  
**AMP DRAW:** 12V-1.77A, 28V-0.74  
**LUMEN:** 2025  
**IP RATING:** 67  
**SHOCK:** 20G

- Super Bright High Power LED's
- 18" Wire Lead from Lamp with Pinned Ends
- Powder Coated Cast Aluminum Body
- Sealed Coated Electronics
- Impact Resistant Polycarbonate Lens

**HIGH OUTPUT RECTANGULAR WORK LIGHT**



HD46209-3WFL



HD46209-3SP

**HD50014-3**

14 LED

**LED:** 3W High Output  
**COLOR:** White  
**DIMENSIONS:** 5.04" x 6.1" x 2.91"  
**VOLT RANGE:** 10-30 VDC  
**AMP DRAW:** 12V-2.30A, 28V-0.99A  
**LUMEN:** 3080  
**IP RATING:** 67  
**SHOCK:** 20G

- Working Temp: -40°C TO +50°C
- Color Temp: 5800-6000KG
- Super Bright High Power LED's
- Stainless Steel Mounting Bracket
- 12" Shielded Pinned Cables
- Powder Coated Cast Aluminum
- Sealed Coated Electronics
- Impact Resistant Polycarbonate Lens

**HIGH OUTPUT ROUND WORK LIGHTS**



**FLOOD LIGHT:**  
HD50014-3WFL



**SPOT LIGHT:**  
HD50014-3SP

**HD46516-3**

6 LED

**LED:** 3W High Output  
**COLOR:** White  
**DIMENSIONS:** 4.65" x 6.0" x 2.91"  
**VOLT RANGE:** 10-30 VDC  
**AMP DRAW:** 12V-2.40A, 28V-0.90A  
**LUMEN:** 3520  
**IP RATING:** 67  
**SHOCK:** 20g

- Working Temp: -40°C TO +50°C
- Color Temp: 5800-6000KG
- Super Bright High Power LED's
- Stainless Steel Mounting Bracket
- Powder Coated Cast Aluminum
- Sealed Coated Electronics
- Impact Resistant Polycarbonate Lens
- 12" Shielded Lead

**HIGH OUTPUT SQUARE WORK LIGHTS**



**FLOOD LIGHT:**  
HD46516-3WFL



**SPOT LIGHT:**  
HD46516-3SP

**HD46008-3**

8 LED

**LED:** 3W High Output  
**COLOR:** White  
**DIMENSIONS:** 5.84" x 3.62" x 2.56"  
**VOLT RANGE:** 10-30 VDC  
**AMP DRAW:** 12V-1.77A, 28V-0.74A  
**LUMEN:** 1800  
**IP RATING:** 67  
**SHOCK:** 20G

- Working Temp: -40°C TO +50°C
- Color Temp: 5800-6000KG
- Super Bright High Power LED's
- Stainless Steel Mounting Bracket
- Powder Coated Cast Aluminum
- Sealed Coated Electronics
- Impact Resistant Polycarbonate Lens
- 12" Shielded Lead

**HIGH OUTPUT OVAL WORK LIGHTS**



**FLOOD LIGHT:**  
HD46008-3WFL



**SPOT LIGHT:**  
HD46008-3SP

**HD52609-3WFL**

**9 LED**

**LED:** 3W High Output  
**COLOR:** White  
**DIMENSIONS:** 5.31" x 6.69" x 1.77"  
**VOLT RANGE:** 10-30 VDC  
**AMP DRAW:** 12V-1.77A, 28V-0.74A  
**LUMEN:** 2025  
**IP RATING:** 67  
**SHOCK:** 20G

- Super Bright High Power LEDs
- Base Or Side Mounting Options
- 12" Shielded Cable
- Powder Coated Cast Aluminium Body
- Stainless Steel Mounting Bracket
- Sealed Coated Electronics
- Impact Resistant Polycarbonate Lens
- Two Mounting Choices Included (Base or Side)

**HIGH OUTPUT SQUARE WORK LIGHT**



**FRONT VIEW**



**SIDE VIEW**

**HD55009-3WFL**

**9 LED**

**LED:** 3W High Output  
**COLOR:** White  
**DIMENSIONS:** 5.5" x 6.61" x 2.05"  
**VOLT RANGE:** 10-30 VDC  
**AMP DRAW:** 12V-1.77A, 28V-0.74A  
**LUMEN:** 2025  
**IP RATING:** 67  
**SHOCK:** 20G

- Super Bright High Power LEDs
- Base Or Side Mounting Options
- 12" Shielded Cable
- Powder Coated Cast Aluminium Body
- Stainless Steel Mounting Bracket
- Sealed Coated Electronics
- Impact Resistant Polycarbonate Lens
- Two Mounting Choices Included (Base or Side)

**HIGH OUTPUT ROUND WORK LIGHT**



**FRONT VIEW**



**SIDE VIEW**

**HD47554WL**

**54 LED**

**LED:** Super Duty  
**COLOR:** White  
**DIMENSIONS:** 5.04" x 6.42" x 3.15"  
**VOLT RANGE:** 10-30 VDC  
**AMP DRAW:** 12V-0.35A, 28V-0.17A  
**LUMEN:** 400  
**IP RATING:** 66  
**SHOCK:** 20G

- High Impact Rubber Body (Reduces Vibration)
- Black (-) Ground - Red (+) Power
- Stainless Mounting
- Hardware Included
- Sealed Coated Electronics
- Moisture and Corrosion Resistant
- 12" Shielded Cable

**ROUND WORK LIGHT | RUBBER HOUSING**



**POWERED OFF**



**POWERED ON**

**HD47506WFL**

**6 LED**

**LED:** 3W High Output  
**COLOR:** White  
**DIMENSIONS:** 5.04" x 6.42" x 3.15"  
**VOLT RANGE:** 10-30 VDC  
**AMP DRAW:** 12V-1.10A, 28V-0.50A  
**LUMEN:** 1350  
**IP RATING:** 67  
**SHOCK:** 20G

- High Impact Rubber Body (Reduces Vibration)
- Black (-) Ground - Red (+) Power
- Stainless Mounting
- Hardware Included
- Sealed Coated Electronics
- Moisture and Corrosion Resistant
- 12" Shielded Cable

**HIGH OUTPUT ROUND WORK LIGHT | RUBBER HOUSING**



**HD42505-3WFLMAG**

**5 LED**

**LED:** 3W High Output  
**COLOR:** White  
**DIMENSIONS:** 4.33" x 5.75" x 1.61"  
**VOLT RANGE:** 10-30 VDC  
**AMP DRAW:** 12v-0.90a, 28v-0.40a  
**LUMEN:** 1050  
**IP RATING:** 67  
**SHOCK:** 20G

- Powder Coated Cast Aluminium Body
- Sealed Coated Electronics
- 29' Shielded Lead with either Cigarette Lighter Switch or 4 Wire Trailer Plug Connector
- Impact Resistant Polycarbonate Lens

**HIGH OUTPUT SQUARE MAGNETIC BASE WORK LIGHTS**



**FLOOD WITH TRAILER PLUG CONNECTOR:**  
HD42505-3WFLMAGP



**FLOOD WITH CIGARETTE LIGHTER SWITCH:**  
HD42505-3WFLMAGS

**HD46006-3WFLMAG**

**6 LED**

**LED:** 3W High Output  
**COLOR:** White  
**DIMENSIONS:** 4.57" x 5.75" x 1.69"  
**VOLT RANGE:** 10-30 VDC  
**AMP DRAW:** 12V-1.24A, 24V-0.50A  
**LUMEN:** 1350  
**IP RATING:** 67  
**SHOCK:** 20G

- Powder Coated Cast Aluminium Body
- Sealed Coated Electronics
- 29' Shielded Lead with either Cigarette Lighter Switch or 4 Wire Trailer Plug Connector
- Impact Resistant Polycarbonate Lens

**HIGH OUTPUT ROUND MAGNETIC BASE WORK LIGHTS**



**FLOOD WITH TRAILER PLUG CONNECTOR:**  
HD46006-3WFLMAGP



**FLOOD WITH CIGARETTE LIGHTER SWITCH:**  
HD46006-3WFLMAGS

**HD42505-3WFL**

**5 LED**

**LED:** 3W High Output  
**COLOR:** White  
**DIMENSIONS:** 4.33" x 5.35" x 1.61"  
**VOLT RANGE:** 10-30 VDC  
**AMP DRAW:** 12v-0.90a, 28v-0.40a  
**LUMEN:** 1050  
**IP RATING:** 67  
**SHOCK:** 20G

- 2 Mounting Choices Included (Base or Side)
- 12" Shielded Pinned Cables
- Powder Coated Cast Aluminium Body
- Sealed Coated Electronics
- Impact Resistant Polycarbonate Lens

**HIGH OUTPUT SQUARE SLIM LINE WORK LIGHT**



**HD46006-3WFL**

**6 LED**

**LED:** 3W High Output  
**COLOR:** White  
**DIMENSIONS:** 4.57" x 5.35" x 1.69"  
**VOLT RANGE:** 10-30 VDC  
**AMP DRAW:** 12V-1.10A, 28V-0.50A  
**LUMEN:** 1350  
**IP RATING:** 67  
**SHOCK:** 20G

- 2 Mounting Choices Included (Base or Side)
- 12" Shielded Pinned Cables
- Powder Coated Cast Aluminium Body
- Sealed Coated Electronics
- Impact Resistant Polycarbonate Lens

**HIGH OUTPUT ROUND SLIM LINE WORK LIGHT**



**HD31703-5**

3 LED

**LED:** 5W High Output CREE  
**COLOR:** White/Blue  
**DIMENSIONS:** 3.03" x 1.73" x 0.86"  
**VOLT RANGE:** 10-30 VDC  
**AMP DRAW:** 12V-0.3A, 24V-0.16A  
**LUMEN:** 575  
**IP RATING:** 69  
**SHOCK:** 20G

- Super Bright High Power LEDs
- Flat and Tube Mount Rubber Bases Included
- 18" Shielded Cable
- Impact Resistant Polycarbonate Lens
- Optional Angle Base Available HD31703-APAD

**HIGH OUTPUT SURFACE MOUNT WORK/CLEARANCE LIGHT**



**WHITE LED**  
HD31703-5WFL

**BLUE LED**  
HD31703-5BFL

**HD31703-3**

3 LED

**LED:** 3W High Output CREE  
**COLOR:** Red/Green/Amber  
**DIMENSIONS:** 3.03" x 1.73" x 0.86"  
**VOLT RANGE:** 10-30 VDC  
**AMP DRAW:** 12V-0.3A, 24V-0.16A  
**LUMEN:** 425  
**IP RATING:** 69  
**SHOCK:** 20G

- Super Bright High Power LEDs
- Flat and Tube Mount Rubber Bases Included
- 18" Shielded Cable
- Impact Resistant Polycarbonate Lens
- Optional Angle Base Available HD31703-APAD

**HIGH OUTPUT SURFACE MOUNT WORK/CLEARANCE LIGHT**



**RED LED**  
HD31703-3RFL

**GREEN LED**  
HD31703-3GFL

**AMBER LED**  
HD31703-3YFL

**HD62006-3W**

6 LED

**LED:** 3W High Output  
**COLOR:** White  
**DIMENSIONS:** 6.29" x 1.87" x 2.48"  
**VOLT RANGE:** 10 - 30 VDC  
**AMP DRAW:** 12V-1.4A, 24V-0.7A  
**LUMEN:** 1440  
**IP RATING:** 67, 69K  
**SHOCK:** 20G

- Super Bright High Power LEDs
- 18" Shielded Lead With Deutsch Connector
- Powder Coated Cast Aluminum Body
- Stainless Steel Mounting Hardware Included
- Sealed Coated Electronics
- Impact Resistant Polycarbonate Lens

**SLIM RECTANGULAR HIGH POWER WORK LIGHTS**



**HD62006-3WFL**



**HD62006-3WSP**

**HD72006-3W**

6 LED

**LED:** 3W High Output  
**COLOR:** White  
**DIMENSIONS:** 7.68" x 2.44" x 1.77"  
**VOLT RANGE:** 10 - 30 VDC  
**AMP DRAW:** 12V-1.4A, 24V-0.7A  
**LUMEN:** 1440  
**IP RATING:** 67, 69K  
**SHOCK:** 20G

- Super Bright High Power LEDs
- 18" Shielded Lead With Deutsch Connector
- Powder Coated Cast Aluminum Body
- Sealed Coated Electronics
- Impact Resistant Polycarbonate Lens
- Optional Angle Base Available HD72006-APAD

**FLUSH MOUNT SLIM RECTANGULAR HIGH POWER WORK LIGHTS**



**HD72006-3WFLFM**



**HD72006-3WSPFM**

**HD26004-3**

4 LED

**LED:** 3W High Output  
**COLOR:** White  
**DIMENSIONS:** 2.6" x 3.66" x 2.6"  
**VOLT RANGE:** 10-30 VDC  
**AMP DRAW:** 12V-0.74A, 28V-0.33A  
**LUMEN:** 900  
**IP RATING:** 67  
**SHOCK:** 20G

- Super Bright High Power LEDs
- Stainless Steel Mounting Bracket
- 12" Shielded Pinned Cables
- Powder Coated Cast Aluminum Body
- Sealed Coated Electronics
- Impact Resistant Polycarbonate Lens

**HIGH OUTPUT MINI SQUARE WORK LIGHT**



**FLOOD LIGHT**  
HD26004-3WFL



**SPOT LIGHT**  
HD26004-3SP

**HD35006-3**

6 LED

**LED:** 3W High Output CREE  
**COLOR:** White  
**DIMENSIONS:** 4.8" x 3.6" x 3.1"  
**VOLT RANGE:** 10-30 VDC  
**AMP DRAW:** 12V-1.28A, 24V-0.61A  
**LUMEN:** 1150  
**IP RATING:** 68  
**SHOCK:** 20G

- Super Bright High Power LEDs
- 2 Mounting Choices Included: Flush Mount Front Bezel and Stainless Steel Pedestal
- 12" Shielded Cable with Deutsch Connector
- Powder Coated Cast Aluminum Body
- Sealed Coated Electronics
- Impact Resistant Polycarbonate Lens

**HIGH OUTPUT MINI FLUSH MOUNT WORK LIGHT**



**FLOOD LIGHT**  
HD35006-3WFL



**SPOT LIGHT**  
HD35006-3SP

**HD32006**

6 LED

**LED:** 3W High Output CREE  
**COLOR:** White  
**DIMENSIONS:** 3.15" x 3.43" x 3.23"  
**VOLT RANGE:** 10-30V DC  
**AMP DRAW:** 12V-1.28A, 24V-0.61A  
**LUMEN:** 1150  
**IP RATING:** 68  
**SHOCK:** 20G

- Super Bright High Power LEDs
- Stainless Steel Pedestal
- 12" Shielded Cable with Deutsch Connector
- Powder Coated Cast Aluminum Body
- Sealed Coated Electronics
- Impact Resistant Polycarbonate Lens

**HIGH OUTPUT MINI SQUARE WORK LIGHT**



**FLOOD LIGHT**  
HD32006-3WFL



**SPOT LIGHT**  
HD32006-3SP

**HD32000**

**HD32000-BF:** Blue  
**HD32000-AF:** Amber  
**HD32000-YF:** Yellow

• Designed to fit HD32006 series lights

**SNAP-ON POLYCARBONATE LENS FILTER**



HD32000-BF



HD32000-AF



HD32000-YF

**HD35003-3**

3 LED

**LED:** 3W High Output  
**COLOR:** White  
**DIMENSIONS:** 3.54 x 4.17" x 1.85"  
**VOLT RANGE:** 10-30 VDC  
**AMP DRAW:** 12V-.90A, 28V-0.40A  
**LUMEN:** 600  
**IP RATING:** 67  
**SHOCK:** 20G

- Powder Coated Cast Aluminum Housing
- Impact Resistant Polycarbonate Lens
- 12" Shielded Cable
- Stainless Steel Mounting Hardware
- Sealed Coated Electronics

**HIGHT OUTPUT MINI ROUND WORK LIGHT**



**FLOOD LIGHT**  
HD35003-3WFL



**SPOT LIGHT**  
HD35003-3SP

**HD35003-3Y**

3 LED

**LED:** 3W High Output  
**COLOR:** Amber  
**DIMENSIONS:** 3.54 x 4.17" x 1.85"  
**VOLT RANGE:** 10-30 VDC  
**AMP DRAW:** 12V-.90A, 28V-0.40A  
**LUMEN:** 460  
**IP RATING:** 67  
**SHOCK:** 20G

- Powder Coated Cast Aluminum Housing
- Impact Resistant Polycarbonate Lens
- 12" Shielded Cable
- Stainless Steel Mounting Hardware
- Sealed Coated Electronics

**HIGH OUTPUT MINI ROUND WORK LIGHT**



**FLOOD LIGHT**  
HD35003-3YWFL



**SPOT LIGHT**  
HD35003-3YSP

**HD33006-3SP**

6 LED

**LED:** 3W High Output  
**COLOR:** White  
**DIMENSIONS:** 3.31" x 4.45" x 3.84"  
**VOLT RANGE:** 10-30 VDC  
**AMP DRAW:** 12V-1.24A, 28V-0.50A  
**LUMEN:** 1350  
**IP RATING:** 67  
**SHOCK:** 20G

- Super Bright High Power LEDs
- 12" Shielded Pinned Cables
- Powder Coated Cast Aluminum Body
- Sealed Coated Electronics
- Impact Resistant Polycarbonate Lens

**HIGH OUTPUT MINI ROUND SPOT LIGHT**



**FRONT VIEW**



**SIDE VIEW**

**HD42504**

4 LED

**LED:** 1W Super Duty  
**COLOR:** White/Amber  
**DIMENSIONS:** 4.33" x 1.38" x 1.73"  
**VOLT RANGE:** 7.5-14 VDC  
**AMP DRAW:** 300mA  
**LUMEN:** 425  
**IP RATING:** 67  
**SHOCK:** 20G

- Super Bright High Power LEDs
- Powder Coated Cast aluminum Body
- Sealed Coated Electronics
- Impact Resistant Polycarbonate Lens

**KIT INCLUDES:**

- 2 Lamps with Stainless Steel
- Mounting Brackets & Hardware
- Rocker Switch, Wire Harness, and Clips

**HIGH OUTPUT DRIVING/FOG LIGHT KIT**



**HD42504WHP**



**HD42504YHP**






P.O. Box 82268  
Portland, OR 97282  
USA

Telephone: 503 233 0008  
Toll Free: 1 877 238 0008  
Fax: 503 233 0009  
[info@heavydutylighting.com](mailto:info@heavydutylighting.com)

Please visit us online at  
[HeavyDutyLighting.com](http://HeavyDutyLighting.com)

Distributed by:



VER0117A